



## SAFETY DATA SHEET FOR STIEP01-C

### 1. Product and Company Identification

Product Name: Sexually Transmitted Infection Evaluation panel 01

Product Number: STIEP01-C (0110115091601)

Date of Compilation: 20<sup>th</sup> September 2016

Document Reference: RPBL959\_Rev01

Supplied by: Qnostics Ltd  
Block 1  
Todd Campus  
West of Scotland Science Park  
Glasgow  
G20 0XA  
United Kingdom

Emergency Tel: 0141 946 4207 (Mon-Fri: 09:00-17:00)

Email: info@qnostics.com

Intended Use: Qnostics' Sexually Transmitted Infection (STI) evaluation panels are for research use only and intended to help laboratories develop their nucleic acid based molecular assay procedures for the detection of pathogens associated with sexually transmitted infections; including *Trichomonas vaginalis*, *Mycoplasma genitalium*, *Mycoplasma hominis*, *Ureaplasma urealyticum*, *Gardnerella vaginalis*, *Chlamydia trachomatis* (LVG), *Chlamydia trachomatis* (Swedish strain) and *Neisseria gonorrhoeae*. The panels can also be used to support laboratory staff training of molecular assays from extraction phase through amplification to detection.

Description: Simulated clinical specimens for the molecular detection of pathogens associated with sexually transmitted infections from clinical samples.

### 2. Hazards Identification

Not a hazardous substance according to regulation (EC) No 1272/2008.

### **3. Composition/information on ingredients**

No components need to be disclosed according to the applicable regulations.

### **4. First Aid Measures**

If accidental contact with material occurs laboratory staff must follow local first aid procedures that are normally applied following exposure to an equivalent clinical specimen. Following exposure medical advice should be sought.

### **5. Fire Fighting Measures**

Not applicable.

### **6. Accidental Release Measures**

Cover the area with absorbent paper/material and flood with a suitable disinfectant. The area must be left undisturbed for thirty minutes before the spill is mopped up with excess of absorbent paper. Transfer all waste to a biological waste bin for incineration.

### **7. Handling and storage**

Store at  $\leq -20^{\circ}\text{C}$ . Samples must be processed in a laboratory environment which, as defined by the national regulations or guidelines, is suitable for the practice of clinical microbiology. Staff handling the material should be trained in the handling of biological material. The samples must be treated with the same degree of care as would be taken with equivalent clinical specimens. The panel is intended specifically for use by staff trained to deal with infectious hazards associated with the handling of clinical material of unknown content.

### **8. Exposure Controls and Personal Protection**

Use good laboratory practice and wear appropriate laboratory coats, gloves and eye protection.

### **9. Physical and Chemical properties**

Frozen samples shipped on dry ice.

### **10. Stability and Reactivity**

Storage is unlikely to increase or decrease the risks associated with handling the material.

### **11. Toxicological Information**



Not applicable.

## **12. Ecological information**

Not applicable.

## **13. Disposal Considerations**

The used material must be disposed of using processes used for other clinical biological waste.

## **14. Transport Information**

Refer to national and international regulations for the transport of biological specimens. This material is classed as UN3373 – Biological Substance B.

## **15. Regulatory Information**

Note that this safety sheet does not constitute the user's own assessments of workplace risk as required by Health and Safety legislation.

## **16. Other Information**

For further safety information concerning this product, participants are advised to read the instruction manual accompanying the panel.

This information is based on present knowledge and should only be used as a guide.